


How to align with NIST 800-53 security compliance management?

1. In the **Compliance Management** dashboard, click on **Benchmark**.




2. Now, click on **Create New Benchmark**.


The screenshot shows the 'Create New Benchmark' view in the SanerNow dashboard. It displays a table with columns for Name, Applied Groups, Date, and Edit. The table lists several benchmarks, including CentOS7_CIS_benchmark, CIS_ubuntu_18, custom, GEN_UBUNTU18, Test, win-10_gen_comp, win1012_12-NIST-800-117, and Win_10_PCI_benchmark.

Name	Applied Groups	Date	Edit
CentOS7_CIS_benchmark	centos	2021-09-07 04:57:22 PM IST	[Edit]
CIS_ubuntu_18	Select groups	2021-11-16 08:19:09 PM IST	[Edit]
custom	Win10	2022-07-26 11:12:31 AM IST	[Edit]
GEN_UBUNTU18	new_group5	2022-06-06 03:59:40 PM IST	[Edit]
Test	Select groups	2022-06-27 03:09:57 PM IST	[Edit]
win-10_gen_comp	Select groups	2022-06-29 04:41:17 PM IST	[Edit]
win1012_12-NIST-800-117	Select groups	2022-02-07 03:19:21 PM IST	[Edit]
Win_10_PCI_benchmark	Select groups	2022-05-04 04:24:12 PM IST	[Edit]


3. Click on **NIST 800-53 compliance** to align with the standards.




4. Select the desired standards through the check box.




5. Select the standards and click on **Choose Devices to Apply Selected Benchmarks**.




6. Assign the **Benchmark name**.




7. Select the device group.



8. Select the accounts to which the NIST 800-53 standards must be applied.



9. Lastly, click on **Create**.



You are now successfully aligning with NIST 800-53 compliance standards!