


How to check wireless security in Linux systems?


To check wireless security in Linux systems, follow the steps below:

1. Go to **Endpoint Management** module in SanerNow.




2. Click on **Checks**.

3. On the right-hand side, from the drop-down list select '**Network Management**'.




4. Select the operating system: **Linux**.



5. The checks corresponding to network management for Windows are highlighted in green.


6. To schedule the query execution for the agent, click on **Trigger**. You need to fill up query trigger settings:

- Set the Query run count time in seconds.



- Set the time in minutes to run the query often.
- In Schedule options pane, set the **Query Trigger Time Frame**.
- Click on **Update**.

7. Click on the '**Scope**' to choose the scope of the query.



8. To send the query to agent, click on '**Submit**'.

9. In the **Result Pane**, you can check wireless security information on Linux systems.

10. You can take possible actions according to the results. Possible actions are specified at the bottom pane. Click on the desired action, you will be redirected to Create Response page. In Created Actions, you will find all the responses created for the following check.

sanernow Managing SiteX.SecPod

Mon Jan 2 1:53:44 PM Priyanka Hiremath

Checks Actions Action Status

Create Response

Operating System Family*
Linux

Action*
Network connection kill

Response Name*
name *

Response Description*
Action for Wireless Security - Linux

Create Response

Clear Fields

How often
☒ Immediate ☐ Daily ☐ Weekly ☐ Monthly ☐ Date

Local F

centos
new_group5
ubuntu
Win10
windows 10
windows server 2019

Copyright © 2008-2022 SecPod Technologies. All rights reserved. Version 5.2.1.5

Now you know how to check wireless security on Linux system.