How to download and install Saner agent in Mac?



1. Login to SanerNow and go to the Control Panel

2. Choose the Organization

sanernow	All Organ	zations 🗸	Fri Jul 29 1:12:38 PM	🙆 🛓 Priyanka Hiremath 🗸		
Control Pan	nel	All Organizations Manage your organizations and their prefe	rences.			
All Organizations •		3		1500	1398	
SecPod	2	ORGANIZATIONS		ASSIGNED SUBSCRIPTIONS	AVAILABLE SUBSCRIPTIONS	
SecPod Technolo	<u> </u>					
Device Scanning	Sync	SecPod			SU	
Manual Import	57112			SecPod Technologies	SecPod US	
Agents Agent Deployme Agent Configurat	nt tion		90 / 100	demo⊚secpod.com 1/400	demoissecpod.com 11/1000	
Network Scanner Summary Scanners						
Scan Configuration Scan Policy	on					
 Settings 	*					

3. Go to the Deployment section and click on Agent Deployment



4. Choose the **Account** in which the agent has to be installed

Control Pa	nel	Deploy Agent				
		SiteY.SecPod -			۵ ۸	gent Installers 🕒 Offline Deployer
SecPod *		SiteX.SecPod				
Users	2	SiteY.SecPod			_	
Deployment				0	~	Ś
Discovery		SanerNow 5.2 for	SanerNow 5.2 for	SanerNow 5.2 for	SanerNow 5.2 for	SanerNow 5.2 for
Device Scanni	ng	Windows	Linux RPM	Linux Debian	Linux Alpine	MacOS
Active Directory Sync		Select distribution 👻	Select distribution -	Select distribution -	Select distribution -	Select distribution -
Manual Impor	t					
Agents			C	Download or 🏨 Share this download	d link	
Agent Deploy	ment					
Agent Configu	iration					
Network Scanner		Supported Platforms				
Summary		Windows: Windows 7, Windows 8	3.1, Windows 10, Windows 11, Windows	Server 2008 SP2, Windows Server 2008	R2, Windows Server 2012, Windows S	erver 2012 R2, Windows Server 2016,
Scanners		Windows Server 2019, Windows	Server 2022			
Scan Configura	ation	Linux RPM: Red Hat Enterprise Li	nux 6.7, 7.3, 7.4, 7.5, 7.6, 8, 9, Fedora 27,	28, 29, 30, 31, 32, 33, 34, 35, 36, CentOS	6.x, 7.x, 8.x, Oracle Linux 6, 7, 8, 9, Ama	zon Linux AMI, Amazon Linux 2,
AlmaLinux 8.4, 8.5, Rocky Linux 8.3, 8.4, 8.5, SUSE Linux Enterprise Server 12, 15					17. 10. 10. 00.	
		Linux Debian: Obuntu 14.04, 16.0	4, 18.04, 18.10, 19.04, 20.04, 21.04, 21.1	10, 22.04, Debian 8, 9, 10, 11, Linux Mint	17.x, 18.x, 19.x, 20.x	
Authentication Authentication MacOS: Yosemite 10.10, El-Cap 10.11, Sierra 10.12, High Sierra 10.13, Mojave 10.14, Catalina 10.15, Big Sur 11			jave 10.14, Catalina 10.15, Big Sur 11.0,	Monterey 12.0		

- 5. Click on Agent Installers
- 6. Select the Mac distribution and click on the **Download**



7. The **SanerNow_Accountname_OSdistribution_5.2** zip file will get downloaded which includes the Bin file and ActivationConf file

- 8. Double click to extract the downloaded file
- 9. Now, execute the following commands to install the Saner agent.
 - unzip SanerNow_DemoAccount_OSX_x64_5.2.zip
 - cd SanerNow_DemoAccount
 - /bin/launchctl setenv ACTIVATION_TOKEN "<Path of spsaneractivation.conf>" (This step is not required if the spsaneractivation.conf and the SpSaner-minimal-x64.pkg files are in same location)
 - installer -pkg SpSaner-minimal-x64.pkg -target /

10. You can also share the download link. Click on the **'Share this download link'** and the link will be copied



You have successfully installed the Saner agent on Mac.