



How to enable and disable firewall settings in SanerNow?

1. In the **Endpoint management** dashboard, click on **Actions**.



- Select **Security** action.



- Choose the operating system family.

The screenshot shows the 'Create Response' form in the SanerNow interface. The 'Operating System Family*' dropdown menu is open, displaying three options: 'Windows', 'Linux', and 'Mac'. The 'Response Name*' field is labeled 'name *' and the 'Response Description*' field is labeled 'description *'. There are 'Create Response' and 'Clear Fields' buttons. Below the form, there is a search bar and a list of operating systems: 'centos', 'mac os', 'new_group5', and 'Win10'. The 'How often' section has radio buttons for 'Immediate' (selected), 'Daily', 'Weekly', 'Monthly', and 'Date'.

- From the drop-down list of actions, choose to enable or disable the firewall settings based on private, public, and domain profile.

The screenshot shows the 'Create Response' form in the SanerNow interface. The 'Action*' dropdown menu is open, displaying a list of actions: 'Disable firewall for all profiles', 'Disable firewall for domain profile', 'Disable firewall for private profile', 'Disable firewall for public profile', 'Enable firewall for all profiles', 'Enable firewall for domain profile', 'Enable firewall for private profile', 'Enable firewall for public profile', and 'Set DEP Settings'. The 'Response Name*' field is labeled 'name *' and the 'Response Description*' field is labeled 'description *'. There are 'Create Response' and 'Clear Fields' buttons. Below the form, there is a search bar and a list of operating systems: 'centos', 'mac os', 'new_group5', and 'Win10'. The 'How often' section has radio buttons for 'Immediate' (selected), 'Daily', 'Weekly', 'Monthly', and 'Date'.

- Assign response name and response description.

sanernow Managing SiteX.SecPod

Thu Jul 28 10:17:49 AM Priyanka Hiremath

Checks Actions Action Status

Create Response

Operating System Family*
Windows

Response Name*
Firewall settings

Action*
Disable firewall for all profiles

Response Description*
Enable and disable firewall settings

Create Response

Clear Fields

How often
☒ Immediate
 ☐ Daily
 ☐ Weekly
 ☐ Monthly
 ☐ Date

☐ centos
☐ mac os
☐ new_group5
☐ Win10

- Select the group of devices to apply the firewall settings.

sanernow Managing SiteX.SecPod

Thu Jul 28 10:17:54 AM Priyanka Hiremath

Checks Actions Action Status

Create Response

Operating System Family*
Windows

Response Name*
Firewall settings

Action*
Disable firewall for all profiles

Response Description*
Enable and disable firewall settings

Create Response

Clear Fields

How often
☒ Immediate
 ☐ Daily
 ☐ Weekly
 ☐ Monthly
 ☐ Date

☒ centos
☒ mac os
☒ new_group5
☐ Win10

- Schedule how often this rule should be applied.
- You can create the response immediately, daily, weekly, monthly, or assign the date to execute the response.
- Click on Create Response, and your action will be executed.

