

---

## How to fetch the details of the mandatory fields from the PingOne account?

You need to fetch **Environment ID**, **Client ID**, **Authentication Path** from the organization PingOne account. For PingOne application configuration, under **Resources, ACCESS GRANTS BY SCOPES**, the **resource** type should be **OpenID** and the **scope** should be **profile**. Response type **“Code”** must be selected mandatory along with other fields (if necessary).

Environment ID: Unique identifier for the PingOne authentication.

- Login to the PingOne account
- Go to the home page and select administrator
- Go to the environment section and copy the **Environment ID**
- Enter environment id in the Multi-Factor authentication policy window

Client ID:

- Go to the connections section
- PingOne by default offers three applications
- You can configure and publish a new application
- Client ID is obtained from the created application
- Enter client id in the Multi-Factor Authentication policy window

Authentication Path:

- Go to the connections section
- Open the created application, a window opens
- Select Configuration from the toolbar and copy the authorization URL (*https://auth.pingone.asia*) which is nothing but an authentication path
- Enter authentication path in the Multi-Factor authentication policy window

Note: The authorization URL changes based on the geographic region of your organization. Here are some other examples of authorization URLs:

- <https://auth.pingone.ca> (Canada)

- 
- <https://auth.pingone.eu> (Europe)
  - <https://auth.pingone.asia> (Asia Pacific)