



How to whitelist an entire PA ID?

1. Click on the **Whitelist** option on the PA Dashboard.



2. You will be redirected to the **Whitelist** page.




3. Select the PA ID's that you want to be whitelisted within the account. You can select single, multiple or even select all listed found PA ID's here by clicking on the checkbox located on the left side right next to the ID column.

4. Now, click on the **Save** button located at the right-hand corner of the page.

5. The PA tool will whitelist the selected the PA ID's and then perform a Posture Anomaly Scan on the account to recalculate the Anomaly status.

6. Now go to the **PA Dashboard**, you will see all the non-whitelisted PA IDs displayed under Posture Anomaly Details pane. You can see a 'Eye' icon on the Posture Anomaly Details pane. This indicates that whitelisted PA IDs exist and are not displayed currently.



7. You can click on the Eye icon to see whitelisted PA ID's.

saner now Managing Test_Account Sun Jan 29 3:03:34 PM Secpod

PA All Anomalies Configure Whitelist Custom Rules

Posture Anomaly Distribution 176650

■ high
■ low
■ medium

Posture Anomaly Density

Posture Anomaly Radar

Posture Anomaly Details

ID	Title	Summary	Anomalies	Hosts	Confidence Level	Category	Detected Date	Fix
PA-2022-1002	Unique software applications determined in select few systems	No Anomaly Found	0	0	<div style="width: 100%; height: 10px; background-color: green;"></div>		2023-01-29	
PA-2022-1001	Vulnerable process making outbound network connection	No Anomaly Found	0	0	<div style="width: 100%; height: 10px; background-color: green;"></div>		2023-01-29	

Showing results from 1 to 2 of 2 Records

Once you click on the eye icon, all the Whitelisted PA ID's are shown.

Posture Anomaly Device Details

Host Name	IP Address	Operating System	Group	Family	Anomaly	Posture Category	Status
		LinuxMint 21	linuxmint	unix	13912		

Now you know how to whitelist PA ID.